

690/83

DESPATCHED

7 JUL 2005




अखिल भारतीय तकनीकी शिक्षा परिषद्
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

(भारत सरकार का एक सांविधिक निकाय) (A STATUTORY BODY OF THE GOVT. OF INDIA)

F.No. 770-53-233(E)/RC/94

June 23, 2005

To
The Principal Secretary,
Government of Karnataka,
Multistoried Building,
Dr. B.R. Ambedkar Veedhi,
Bangalore - 560 001



Place before
MC.
make copies
& send to all
directors

an
7-7-5
S/ptol

Sub: Extension of approval to THE NATIONAL INSTITUTE OF ENGINEERING, MANANTODY ROAD, MYSORE-570008, KARNATAKA, for the year 2005-06-reg.

Sir/ Madam,

As you are aware, **All India Council for Technical Education** has been mandated under the AICTE Act, 1987 to ensure **maintenance of norms and standards** with regard to technical education in the country. In exercise of this mandate, the Council insists on fulfillment of the minimum requirements prescribed for imparting technical education by the institution so that **quality** is not compromised and stakeholders are satisfied. The Council also undertakes **Annual Inspection** of the institutions and conveys deficiencies to them for **rectification**.

It has been observed however that notwithstanding the Council's **repeated advice** to comply with minimum norms and standards, many institutions continue to be **complacent** about taking steps to remedy the deficiencies.

In case of **Government/Government aided institutions/Universities departments**, the Council has been specially **supportive** and **sympathetic** on account of the fact that Government institutions provide technical education at a reasonable cost besides transparent admissions. It is however a matter of regret that many such institutions suffer from critical deficiencies of faculty and other requirements. Feed back of students with regard to quality of education imparted by some institutions has evoked grave concern. The Expert Committees, following holistic appraisal during inspections, have also pointed out severe shortages in key areas evoking serious concern.

Your institution, on appraisal, has been found to be suffering from several deficiencies which are listed in **Annexure-A** for your perusal. Non-availability of faculty is the most serious one.

The deficiencies, particularly with reference to faculty, are of grave concern to the Council. In spite of this, it has been decided that approval in respect of your institution for the year 2005-06 as indicated below, be given with the hope that you shall take urgent steps to rectify deficiencies, particularly shortage of faculty. The Council shall monitor progress in this regard carefully and shall be constrained to put your institution in **no admission/reduced intake category** for the year 2006-07 in case of noncompliance. The approved course(s) along with recommended intake for the year 2005-06 in respect of **THE NATIONAL INSTITUTE OF ENGINEERING, MANANTODY ROAD, MYSORE-570008, KARNATAKA** for the year 2005-06 is as under: -

| COURSE (S) | APPROVED INTAKE | APPROVED INTAKE |
|-------------------------------|-----------------|-----------------|
| | 2004-05 | 2005-06 |
| CIVIL ENGINEERING | 50 | 50 |
| MECHANICAL ENGINEERING | 120 | 120 |
| ELECTRICAL & ELECTRONICS ENGG | 60 | 60 |

PRINCIPAL

इंदिरा गांधी खेल परिसर, इन्द्रप्रस्थ एस्टेट, नई दिल्ली - 110002
Indira Gandhi Sports Complex, I. P. Estate, New Delhi -110 002
दूरभाष / Phone : 23392506, 63-65-68, 71, 73-75 फैक्स / Fax : 011-23392554
वेबसाइट / Website : www.aicte.ernet.in

The National Institute of Engineering
MYSORE - 570 008

① P.G. ✓
② E.C. ✓
③ Est. ✓
④ M.C. ✓

| | | |
|-------------------------------------------|------------|------------|
| ELECTRONICS & COMM. ENGG. | 60 | 60 |
| COMPUTER SCIENCE & ENGINEERING | 90 | 90 |
| INFORMATION SCIENCE | 60 | 60 |
| INDUSTRIAL & PRODUCTION ENGG. | 40 | 40 |
| CIVIL ENGINEERING (PT) | 47 | 47 |
| ENGINEERING MANAGEMENT (PG) | 19 | 19 |
| APPROPRIATE TECH & SUSTAINABLE RURAL (PG) | 18 | 18 |
| HYDRAULICS (PG) | 18 | 18 |
| COMPUTER APPLICATIONS TO INDUSTRIAL (PG) | 18 | 18 |
| POWER SYSTEMS (PG) | 18 | 18 |
| PRODUCTION ENGG. & SYSTEMS TECH (PG) | 12 | 12 |
| INFORMATION TECHNOLOGY (PG) | 18 | 18 |
| TOTAL | 648 | 648 |

The Council has decided to undertake inspection at any time after **August end, 2005**. A compliance report in respect of rectification of deficiencies listed in **Annexure-A** must be sent to the Council with a copy to concerned Regional Office by **31st August, 2005**. In the absence, extension of approval for year 2006-07 may not be considered.

Enclosure:- Annexure-A

Note:- Letter also emailed at notified mail id: Details available on website www.aicte.ernet.in


Yours faithfully



(Dr. P. Venkateswara Rao)
Adviser (UG/ PG)

Copy to :

1. The Principal,
THE NATIONAL INSTITUTE OF
ENGINEERING, MANANTODY ROAD,
MYSORE-570008, KARNATAKA
2. The Regional Officer, AICTE, South-West Regional Office, Bangalore University Campus,
P.K.Block, Palace Road, Bangalore-560 009.
3. The Director, Directorate of Technical Education, Palace Road, Bangalore – 560 001.
4. The Registrar,
(He is requested to complete the process of affiliation for facilitating admissions).
5. Guard File.


PRINCIPAL
The National Institute of Engineering
MYSORE - 570 008